


**ROOF PLAN LAYOUT
INDICATING STEEL COATING**

AREAS HATCHED IN PURPLE: EXTENT OF GALVANISED STEEL PLATE DRAINAGE SURFACE (INCLUDING GABLE END PLATE UPTURNS), TO BE COATED WITH **abe ABECOTE 384**, STRICTLY ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS AND SPECIFICATIONS. ALL EA CLEATS AND SUPPORT PLATES TO BE COATED WITH THE SAME. THIS APPLICATION TO BE DONE PRIOR TO WATERPROOFING APPLICATION. PRODUCTS TO BE AS SPECIFIED, OR SIMILAR APPROVED BY ARCHITECT.



**ROOF PLAN LAYOUT
INDICATING WATERPROOFING**

AREAS HATCHED IN RED: EXTENT OF WATERPROOFED STEEL PLATE DRAINAGE SURFACE, TO BE GIVEN A FINAL COAT OF **abe SUPER LAYCRYL** (COLOUR TO BE CONFIRMED WITH ARCHITECT PRIOR TO ORDERING AND APPLICATION), STRICTLY ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS AND SPECIFICATIONS. THIS APPLICATION TO BE DONE AFTER THE WATERPROOFING APPLICATION. PRODUCTS TO BE AS SPECIFIED, OR SIMILAR APPROVED BY ARCHITECT.

AREAS HATCHED IN BLUE AND RED: EXTENT OF GALVANISED STEEL PLATE DRAINAGE SURFACE, TO BE WATERPROOFED WITH **abe ABEPROOF LIQUID PRIMER**, FOLLOWED BY TWO COATS OF **abe ABEPROOF LIQUID MEMBRANE**, STRICTLY ACCORDING TO THE MANUFACTURER'S INSTRUCTIONS AND SPECIFICATIONS. WATERPROOFING TO BE APPLIED OVER AND UP AGAINST VERTICAL FLANGES OF ALL EA CLEATS. THIS APPLICATION TO BE DONE AFTER **abe ABECOTE 384** APPLICATION. PRODUCTS TO BE AS SPECIFIED, OR SIMILAR APPROVED BY ARCHITECT.

GENERAL NOTES:
All work is to be done in accordance with the National Building Regulations.
All materials and workmanship are to comply with the relevant S.A.B.S. codes and or the specified international codes where applicable in the Architectural specifications. Where relevant South African National Standards, BS codes of practice, or Agreement Certificates applicable to the design exists, the recommendations and requirements of such documents to be considered a minimum standard for the works.
The contractor shall in all aspects of the works comply with the provisions of the Occupational Health and Safety Act, 1993 (Act No 85 of 1993) and any regulations promulgated in terms of that Act or the Factories Machinery and Building Works Act of 1941.
The contractor shall set up, document and maintain a quality assurance and quality control system, in accordance with SANS 9001/ISO 9001, able to be checked to the satisfaction of the Architect, that all materials and workmanship, whatever their sources, meet the requirements of the Specification. Should the Contractor or any of his sub-contractors be certified to the SANS 9000 family of standards then monitor these works accordingly.
This drawing must be read in conjunction with all the relevant drawings, schedules and specifications and all other consultants related to the project.
All portions of the works related to any service or consultant's information is to be done in accordance with the National Building Regulations.
This drawing is not to be scaled. Figured dimensions to be used. All dimensions are in millimeters unless otherwise stated.
All dimensions and levels must be checked on site by the contractor before putting work in hand.
All work to be executed by competent persons qualified for the specific trade.

REVISIONS			
REV	DATE	DESCRIPTION	BY
1	TBC	ISSUED FOR TENDER	TBC

CONSULTANT:



ADI
(PTY) LTD
BLOCK A 26 VICTORIA LINK
ROUTE 21 CORPORATE PARK, IRENE,
CENTURION
0062, PRETORIA
T: 086 167 6646 E: adi@adiengineering.co.za W: www.adiengineering.co.za

CLIENT



TOURISM KWAZULU NATAL
Zulu Kingdom. Exceptional!

PROJECT:

**NELSON MANDELA
CAPTURE SITE**



PROJECT STATUS:

TENDER

APPROVED
THE MASTER HELD AT ADI INVESTMENT (PTY) LTD. SACAP NO:
BEARS THE ORIGINAL SIGNATURE OF APPROVAL

SIGNATURE: _____ NAME: _____ DATE: _____

DRAWING TITLE:

**GATEHOUSE WATERPROOFING LAYOUTS &
DETAILS - SHEET 1**

DRAWING UNITS: MILLIMETER

DATE	SCALE	DESIGNED BY
30/03/2021	1 : 20	CJL

CHECKED BY	DRAWN BY	APPROVED BY
AC	CJL	CJL

DRAWING NO	REV
P.1808- ARC-540-01	1

File Path
C:\Users\Adele\OneDrive\Documents\ADIMEDIA\02_DOCUMENTATION & PROCUREMENT\4.4 WORKING DRAWINGS & SPECIFICATIONS\4.4.2\B017P-1808-ARC-540-01_GATEHOUSE_TL1.dwg